

Applications

Agriculture
Construction and Demolition
Landscaping

Lifting and Handling
Road work, Recycling and Cleaning

Main features

Large, square holes in back screen provide excellent fork/load visibility


Screen made from durable, heavy gauge steel for long life.

Compatibility

Description	Item number	Compatible with loader Compatible with telescopic
Floating Forks Pair 120 x 45 mm L = 1200 mm 3.8 t	7190344	, TR50210EVO IIIA, TR50210EVO IIIB, TR40250EVO IIIA, TR40250EVO IIIB, TR38160EVO IIIA, TR38160EVO IIIB
Floating Forks Pair 120 x 50 mm L = 1200 mm 5.0 t	7241497	, TR50190EVO IIIB, TR50210EVO IIIA, TR50210EVO IIIB, TR40250EVO IIIA, TR40250EVO IIIB
RTLS Pallet Fork Frame w/set of 2 forks, type 1	7190933	,
RTLS Pallet Fork Frame w/set of 2 forks, type 2	7190934	,
Pallet Fork Frame Standard MT55-S70	6809716	MT55E, S70E,
Pallet Fork Frame Standard	6712927	,
Pallet Fork Frame, Heavy Duty	7109332	A770-B,
TLS Side Shift Carriage, class II	7194870	, TL35.70 AGRI 100 IIIA, TL38.70HF AGRI 130 IIIA, TL26.60 High Cab 100 IIIA, TL30.60 AGRI Low Cab 100 IV, TL30.60 AGRI High Cab 100 IIIA, TL30.60 AGRI Low Cab 100 IIIA, TL30.70 AGRI Low Cab 100 IV, TL30.60 AGRI High Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL34.65HF AGRI 130 IV, TL35.70 AGRI 100 IV, TL38.70HF AGRI 130 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V
Floating Pallet Forks 1.12 m QT (Assy)	7194864	, TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 High Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V
Floating Pallet Forks 1.44 m QT (Assy)	7194865	, TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 High Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V
Floating Pallet Forks 1.12 m MT (Assy)	7194868	, TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V
Floating Pallet Forks 1.44 m MT (Assy)	7194869	, TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V
Fixed Pallet Fork & Frame QT W/ Side Shift	7204270	, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV

Description	Item number	Compatible with loader Compatible with telescopic
Fixed Pallet Fork & Frame QT W/ Backrest	80894.9	, TL34.65HF 130 IV, TL34.65HF AGRI 130 IV, TL35.70 100 IIIA, TL35.70 AGRI 100 IIIA, TL35.70 100 IV, TL35.70 AGRI 100 IV, TL38.70HF 130 IIIA, TL38.70HF AGRI 130 IIIA, TL38.70HF 130 IV, TL38.70HF AGRI 130 IV
Fixed Pallet Fork & Frame QT W/ Backrest W/ Side Shift	84528.9	,
Fixed Pallet Fork & Frame QT W/Side shift	84527.1	,
Backrest, FEM II and III	7202274	, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL30.70 High Cab 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V
Rigid fork, FEM III (1 piece)	7196070	,

Weights and dimensions



Description	Item number	Operating weight (kg)	Shipping weight (kg)	Overall Length (A) (mm)	Overall Width (B) (mm)	Overall Height (C) (mm)
Floating Forks Pair 120 x 45 mm L = 1200 mm 3.8 t	7190344	85.0	85.0	1200.0	120.0	-
Floating Forks Pair 120 x 50 mm L = 1200 mm 5.0 t	7241497	97.0	97.0	1200.0	120.0	-
Pallet Fork Frame Standard MT55-S70	6809716	47.0	47.0	-	100.0	-
Pallet Fork Frame Standard	6712927	91.0	91.0	-	100.0	-
Pallet Fork Frame, Heavy Duty	7109332	162.0	162.0	1200.0	1434.0	-
TLS Side Shift Carriage, class II	7194870	-	-	-	-	-
Floating Pallet Forks 1.12 m QT (Assy)	7194864	280.0	280.0	1200.0	1120.0	-
Floating Pallet Forks 1.44 m QT (Assy)	7194865	310.0	310.0	1200.0	1440.0	-
Floating Pallet Forks 1.12 m MT (Assy)	7194868	273.0	273.0	1200.0	1120.0	-
Floating Pallet Forks 1.44 m MT (Assy)	7194869	304.0	304.0	1200.0	1440.0	-
Fixed Pallet Fork & Frame QT W/ Side Shift	7204270	380.0	380.0	1200.0	1220.0	-
Fixed Pallet Fork & Frame QT	7204268	300.0	300.0	1200.0	1220.0	-
Fixed Pallet Fork & Frame MT	7204527	271.0	271.0	1200.0	1220.0	-
Fixed Pallet Fork & Frame Assy MT	7204528	295.0	295.0	1200.0	1257.0	-
Fixed Pallet Fork & Frame MT W/ Side Shift	7204529	351.0	351.0	1200.0	1220.0	-
Fixed Pallet Fork & Frame QT W/ Backrest W/ Side Shift	7204271	405.0	405.0	1200.0	1257.0	-
Fixed pallet fork frame QT	7194863	-	-	-	-	-
Fixed pallet fork frame MT	7194867	-	-	-	-	-
Fixed Pallet Fork & Frame MT W/ Backrest W/ Side Shift	7204530	376.0	376.0	1200.0	1257.0	-
Fixed Pallet Fork & Frame Assy QT	7204269	325.0	325.0	1200.0	1257.0	-
Fixed Pallet Fork & Frame QT W/ Backrest	80894.9	234.0	234.0	1200.0	1256.0	-
Fixed Pallet Fork & Frame QT W/ Backrest W/ Side Shift	84528.9	367.0	367.0	1200.0	1300.0	-
Fixed Pallet Fork & Frame QT W/Side shift	84527.1	341.0	341.0	1200.0	1300.0	-
Backrest, FEM II and III	7202274	-	-	-	-	-